

# Product overview

Astra Tech Implant System™



# Product overview 3.5/4.0

## Aqua

SMALL

Indexed abutments and components.

SMALL

Non-indexed abutments and components (NI).

### Implants

#### OsseoSpeed™ TX 3.5 S

8 mm	24930
9 mm	24931
11 mm	24932
13 mm	24933
15 mm	24934
17 mm	24935

#### OsseoSpeed™ TX 4.0 S

6 mm	24939
8 mm	24940
9 mm	24941
11 mm	24942
13 mm	24943
15 mm	24944
17 mm	24945

### Cover screws

#### 3.5/4.0

0 mm	24328
1 mm	24329

### Healing abutments

#### 3.5/4.0

Ø 4.0	2 mm	24574
Ø 4.5	4 mm	24575
Ø 4.5	6 mm	24576
Ø 5.5	2 mm	24577
Ø 5.5	4 mm	24578
Ø 5.5	6 mm	24579
Ø 6.5	4 mm	24580
Ø 6.5	6 mm	24581

#### Uni 3.5/4.0

2 mm	24374
4 mm	24375
6 mm	24376
8 mm	24377
10 mm	24378

## Cement-retained

### Temporary abutments

#### TempDesign™ 3.5/4.0

Ø 4.1	1 mm	22851	
Ø NI	Ø 4.1	1 mm	22853

#### Temporary Abutment 3.5/4.0

Ø 4.1	1 mm	24281	
Ø NI	Ø 4.1	1 mm	24280

#### ZirDesign™ 3.5/4.0

Ø 4.5	1.5 mm	24702	
Ø 4.5	3 mm	24703	
Ø 5.5	1.5 mm	24704	
Ø 5.5	3 mm	24705	
Ø 5.5	20°	3.5 mm	24706

#### CasiDesign™ 3.5/4.0

Ø 4	1 mm	22843
-----	------	-------

### Abutments

#### TiDesign™ 3.5/4.0

Ø 4.5	1.5 mm	24285	
Ø 4.5	3 mm	24286	
Ø 5.5	1.5 mm	24287	
Ø 5.5	3 mm	24288	
Ø 6.5	1.5 mm	24289	
Ø 6.5	3 mm	24290	
Ø 4.5	20°	3.5 mm	24291
Ø 5.5	20°	3.5 mm	24292

#### Direct Abutment API™ 3.5/4.0

Ø 4	0.5 mm	24917
Ø 4	1 mm	24918
Ø 4	2.5 mm	24919
Ø 4	4 mm	24920
Ø 5	1 mm	24921
Ø 5	2.5 mm	24922
Ø 5	4 mm	24923

#### Atlantis™ Abutment

Patient-specific abutment  
www.atlantisabutment.com

### Implant impressions

#### Implant Pick-up 3.5/4.0

Short	24947
Long	24948
Ø NI Short	24936
Ø NI Long	24937

#### Implant Transfer 3.5/4.0

Short	24959
Long	24960

### Lab abutment screws

#### Lab Abutment Screw Design 3.5/4.0

24857
-------

### Replicas

#### Implant Replica 3.5/4.0

24978
-------

### Guide pins

#### Implant Guide Pin 3.5/4.0

Short	24968
Long	24969

## Screw-retained

### Abutments

#### Cresco API™ 3.5/4.0, 20°

0.5 mm	Titanium	30351
0.5 mm	Burnout	30551
2 mm	Titanium	30352
2 mm	Burnout	30552

#### Cresco API™ 3.5/4.0, 45°

0.7 mm	Titanium	30353
0.7 mm	Burnout	30553
2 mm	Titanium	30354
2 mm	Burnout	30554

#### Angled Abutment 3.5/4.0

Ø 4	0.8 mm	24245	
Ø 4	2 mm	24246	
Ø NI	Ø 4	0.8 mm	24347
Ø NI	Ø 4	2 mm	24348

#### 20° UniAbutment 3.5/4.0

0.5 mm	24893
1 mm	24894
2 mm	24895
4 mm	24896
6 mm	24897
8 mm	24898

#### 45° UniAbutment 3.5/4.0

0.5 mm	24899
1 mm	24900
2 mm	24901
4 mm	24902
6 mm	24903
8 mm	24904

### Healing caps

#### 20° ProHeal Cap

Ø 4.3	24162
Ø 5.5 Short	24158
Ø 5.5 Long	24159

#### 45° ProHeal Cap

Ø 4.3	24163
Ø 5.5 Short	24160
Ø 5.5 Long	24161

#### Healing Cap, Angled

24092
-------

### Abutment impressions

#### 20° UniAbutment Pick-up

Ø 4.3	22882
Ø 5.5	22876

#### 45° UniAbutment Pick-up

Ø 4.3	22883
Ø 5.5	22878

#### 20°/45° UniAbutment Transfer

22068
-------

#### Angled Abutment Pick-up

24254
-------

### Replicas

#### 20° UniAbutment Replica

22069
-------

#### 45° UniAbutment Replica

22070
-------

#### Angled Abutment Replica

24227
-------

### Lab abutment screws angled

#### Lab Abutment Screw Angled M1.6

24860
-------

### Guide pins

#### Abutment Guide Pin

13 mm	22190
16 mm	22197
19 mm	22198
22 mm	22199

#### Bridge screws

Hex	22435
Slot	22167

### Lab bridge screws

Hex and Slot	24859
--------------	-------

### Temporary cylinders

#### Temporary Cylinder Uni 20°

22060
-------

#### Temporary Cylinder Uni 45°

22061
-------

#### Temporary Cylinder Uni Angled

22447
-------

### Cylinders

#### Semi-Burnout Cylinder Uni 20°

22184
-------

#### Burnout Cylinder Uni 20°

22186
-------

#### Titanium Cylinder Uni 20°

22798
-------

#### Semi-Burnout Cylinder Uni 45°

22185
-------

#### Burnout Cylinder Uni 45°

22187
-------

#### Titanium Cylinder Uni 45°

22799
-------

#### Semi-Burnout Cylinder Uni Angled

24243
-------

#### Burnout Cylinder Uni Angled

22448
-------

#### Titanium Cylinder Uni Angled

24244
-------

## Attachment-retained

### Abutments

#### Ball Abutment 3.5/4.0

1 mm	24905
2 mm	24906
4 mm	24907
6 mm	24908
8 mm	24909

#### Locator™ Abutment 3.5/4.0

1 mm	24268
2 mm	24269
3 mm	24270
4 mm	24271
5 mm	24272

### Abutment impressions

#### Ball Abutment Pick-up

22439
-------

#### Locator™ Abutment Pick-up

24484
-------

### Replicas

#### Ball Abutment Replica

22505
-------

#### Locator™ Abutment Replica

24485
-------

### Attachment components

#### Clix Female

22383
-------

#### Ball Housing

22364
-------

#### Clix Insert

22384
-------

#### Locator™ Insert

Blue	24488
Pink	24487
Clear	24486
Red	24492
Green	24489

#### Locator™ Process Kit

24483
-------

#### Profile Bar System

22381
-------

#### Profile Bar Insert

22382
-------

# Product overview 4.5/5.0

Lilac

LARGE

Indexed abutments and components.

LARGE

Non-indexed abutments and components (NI).

## Implants

### OsseoSpeed™ TX 4.5



9 mm 24951  
11 mm 24952  
13 mm 24953  
15 mm 24954  
17 mm 24955

### OsseoSpeed™ TX 5.0



9 mm 24961  
11 mm 24962  
13 mm 24963  
15 mm 24964  
17 mm 24965

### OsseoSpeed™ TX 5.0 S



9 mm 24971  
11 mm 24972  
13 mm 24973  
15 mm 24974  
17 mm 24975

## Cover screws

### 4.5/5.0



0 mm 24447  
1 mm 24448

## Healing abutments

### 4.5/5.0



Ø 5.5 2 mm 24582  
Ø 5.5 4 mm 24583  
Ø 5.5 6 mm 24584  
Ø 6.5 2 mm 24585  
Ø 6.5 4 mm 24586  
Ø 6.5 6 mm 24587

### Uni 4.5/5.0



2 mm 24379  
4 mm 24380  
6 mm 24381  
8 mm 24382  
10 mm 24383

## Cement-retained

### Temporary abutments

#### TempDesign™ 4.5/5.0



Ø 4.5 1 mm 22852  
Ø NI 4.5 1 mm 22854

#### Temporary Abutment 4.5/5.0



Ø 4.5 1 mm 25015  
Ø NI 4.5 1 mm 25016

#### ZirDesign™ 4.5/5.0



Ø 5.5 1.5 mm 24707  
Ø 5.5 3 mm 24708  
Ø 6.5 1.5 mm 24709  
Ø 6.5 3 mm 24710  
Ø 5.5 20° 3.5 mm 24711

#### CastDesign™ 4.5/5.0



Ø 4.5 1 mm 22844

### Abutments

#### TiDesign™ 4.5/5.0



Ø 5.5 1.5 mm 24235  
Ø 5.5 3 mm 24236  
Ø 6.5 1.5 mm 24237  
Ø 6.5 3 mm 24238  
Ø 5.5 20° 3.5 mm 24239

#### Direct Abutment API™ 4.5/5.0



Ø 5 0.5 mm 24558  
Ø 5 1 mm 24559  
Ø 5 2.5 mm 24560  
Ø 5 4 mm 24561  
Ø 6 1 mm 24562  
Ø 6 2.5 mm 24563  
Ø 6 4 mm 24564

#### Atlantis™ Abutment



Patient-specific abutment  
www.atlantisabutment.com

### Implant impressions

#### Implant Pick-up 4.5/5.0



Short 24938  
Long 24946  
Ø NI Short 24928  
Ø NI Long 24929

#### Implant Transfer 4.5/5.0



Short 24956  
Long 24957

### Lab abutment screws

#### Lab Abutment Screw Design 4.5/5.0



24858

### Replicas

#### Implant Replica 4.5/5.0



24979

### Guide pins

#### Implant Guide Pin 4.5/5.0



Short 24966  
Long 24967

## Screw-retained

### Abutments

#### Cresco API™ 4.5/5.0, 20°

0.5 mm Titanium 30312  
0.5 mm Burnout 30512  
2 mm Titanium 30322  
2 mm Burnout 30522

#### Cresco API™ 4.5/5.0, 45°

0.7 mm Titanium 30305  
0.7 mm Burnout 30505  
2 mm Titanium 30310  
2 mm Burnout 30510

#### Angled Abutment 4.5/5.0

Ø 4 0.5 mm 24247  
Ø 4 2 mm 24248  
Ø NI 4 0.5 mm 24606  
Ø NI 4 2 mm 24607

#### 20° UniAbutment 4.5/5.0



0.5 mm 24398  
1 mm 24399  
2 mm 24400  
4 mm 24401  
6 mm 24402  
8 mm 24403

#### 45° UniAbutment 4.5/5.0



0.5 mm 24406  
1 mm 24407  
2 mm 24408  
4 mm 24409  
6 mm 24410  
8 mm 24411

### Healing caps

#### 20° ProHeal Cap

Ø 4.3 24162  
Ø 5.5 Short 24158  
Ø 5.5 Long 24159

#### 45° ProHeal Cap

Ø 4.3 24163  
Ø 5.5 Short 24160  
Ø 5.5 Long 24161

#### Healing Cap, Angled



24092

### Abutment impressions

#### 20° UniAbutment Pick-up



Ø 4.3 22882  
Ø 5.5 22876

#### 45° UniAbutment Pick-up



Ø 4.3 22883  
Ø 5.5 22878

#### 20°/45° UniAbutment Transfer



22068

#### Angled Abutment Pick-up



24254

### Replicas

#### 20° UniAbutment Replica



22069

#### 45° UniAbutment Replica



22070

#### Angled Abutment Replica



24227

### Lab abutment screws angled

#### Lab Abutment Screw Angled M2



24860

### Guide pins

#### Abutment Guide Pin



13 mm 22190  
16 mm 22197  
19 mm 22198  
22 mm 22199

#### Bridge screws



Hex 22435  
Slot 22167

#### Lab bridge screws



Hex and Slot 24859

### Temporary cylinders

#### Temporary Cylinder Uni 20°



22060

#### Temporary Cylinder Uni 45°



22061

#### Temporary Cylinder Uni Angled



22447

### Cylinders

#### Semi-Burnout Cylinder Uni 20°



22184

#### Burnout Cylinder Uni 20°



22186

#### Titanium Cylinder Uni 20°



22798

#### Semi-Burnout Cylinder Uni 45°



22185

#### Burnout Cylinder Uni 45°



22187

#### Titanium Cylinder Uni 45°



22799

#### Semi-Burnout Cylinder Uni Angled



24243

#### Burnout Cylinder Uni Angled



22448

#### Titanium Cylinder Uni Angled



24244

## Attachment-retained

### Abutments

#### Ball Abutment 4.5/5.0



0.5 mm 24418  
1 mm 24419  
2 mm 24420  
4 mm 24421  
6 mm 24422  
8 mm 24423

#### Locator™ Abutment 4.5/5.0



0.5 mm 24477  
2 mm 24478  
3 mm 24479  
4 mm 24480  
5 mm 24481


### Abutment impressions

#### Ball Abutment Pick-up



22439

#### Locator™ Abutment Pick-up



24484

### Replicas

#### Ball Abutment Replica



22505

#### Locator™ Abutment Replica



24485

### Attachment components

#### Clix Female



22383

#### Ball Housing



22364

#### Clix Insert



22384

#### Locator™ Process Kit



24483

#### Locator™ Insert



Blue 24488  
Pink 24487  
Clear 24486  
Red 24492  
Green 24489

#### Profile Bar System



22381

#### Profile Bar Insert



22382

# Product overview 3.0

## Yellow



Indexed abutments and components.



Non-indexed abutments and components (NI).

### Implants

OsseoSpeed™ TX 3.0 S



11 mm 24982  
13 mm 24983  
15 mm 24984

### Cover screws

3.0



0 mm  
24198

### Healing abutments

3.0



Ø 4.0 2 mm 24777  
Ø 4.0 4 mm 24778  
Ø 4.0 6 mm 25017

## Cement-retained

### Temporary abutments

Temporary Abutment 3.0



Ø 3.4 1 mm 25018

### Abutments

TiDesign™ 3.0



Ø 4.0 1 mm 24788  
Ø 4.0 2 mm 24789  
Ø 4.0 15° 2.4 mm 24790


Atlantis™ Abutment



Patient-specific abutment  
www.atlantisabutment.com

### Implant impressions

Implant Pick-up 3.0



Short 24950  
Long 24949

Implant Transfer 3.0



Long 24958

### Lab abutment screws

Lab Abutment Screw Design 3.0



24802

### Replicas

Implant Replica 3.0



24977

### Guide pins

Implant Guide Pin 3.0



Short 24970  
Long 24976



Astra Tech Inc., USA: 590 Lincoln Street, Waltham, MA 02451. Tel: 800-531-3481. Fax: 781-890-6808. www.astratechdental.com  
Canada: 2425 Matheson Boulevard E., 8th Floor, Mississauga, ON, L4W 5K4. Tel: 866-427-8327. Fax: 905-361-2629